


Thermaguard™ TIC 180 thermal insulation of elevated substrates for personnel protection in accordance with ISO 13732-1, data charts within identify required systems to reduce surface temperatures below the contact temperature threshold.



<i>Number of coats</i>	<i>Operation temperature (°C)</i>	<i>Coating surface temperature (°C)</i>
1	180	92
	160	84
	140	78
	120	70
	100	60
	80	51
	60	42
	40	30
2	180	82
	160	75
	140	68
	120	59
	100	50
	80	40
	60	32
	40	26
3	180	72
	160	66
	140	58
	120	50
	100	42
	80	34
	60	27
	40	23
4	180	64
	160	58
	140	52
	120	44
	100	36
	80	28
	60	23
	40	20
5	180	56
	160	52
	140	46
	120	38
	100	30
	80	23
	60	19
	40	17